



## Satellite A60-772

Part Number : PSA60E-00N037G3

- Discover total mobility with powerful Intel® Celeron® or mobile Intel® Pentium® 4 processor technology, designed to cope effortlessly with high-performance demands and needs
- Benefit from style and convenience with this cool blue notebook design, preloaded with Windows® XP Home or Professional, Microsoft® Office OneNote™ 2003 and Toshiba ConfigFree™ for simple wireless management and network connectivity
- See the difference with an industry-leading ATI MOBILITY™ RADEON™ 7000 IGP graphics chipset delivering crisp, clear text and immersive graphics to a 15" TFT XGA display for enhanced viewing and presentations
- Stay connected with integrated modem, wired Ethernet LAN, i.LINK and 3 USB ports, enabling maximum mobility for e-mail, Internet, data transfers or connectivity to a company network
- Unleash fantastic multimedia for work or play with SRS TruSurround XT™ technology for impressive virtual surround sound capabilities

---

### Product properties

Property	Value

- Display**
- size : 15.0 "
  - type : TFT colour display
  - internal resolution : 1024 x 768
  - dot pitch (HxV) : 0.279 x 0.279 mm
  - typical contrast ratio : 250:1
  - response rise/fall : 11/24 ms

- Expansion**
- 1 x memory slot
  - type : 1 x PC Card Type II

- Hard disk**
- capacity : 60 GB
  - height : 9.5 mm
  - drive rotation : 4,200 rpm
  - number of disks : 2
  - number of heads : 3
  - buffer size : 8 MB
  - desktop or notebook? : notebook

- Keyboard**
- keys : 86
  - Windows keys : 2
  - function keys : 12
  - Euro key : yes
  - key pitch : 19.05 mm
  - key stroke : 2.7 mm
  - Easy Keys : 3
  - type of Easy Keys : Forward, Rewind, Play / Pause, Stop
  - number of cursor keys : 4
  - inlaid numeric keypad : yes

- Hot Keys : 11

**System memory**

- standard : 512 MB
- maximum expandability : 1,280 MB
- data bus width : 64 bit
- technology : DDR RAM
- expansion module sizes : 128, 256, 512, 1,024 MB

**Interfaces**

- 1 x DC-in
- 1 x external monitor
- 1 x RJ-11
- 1 x RJ-45
- 1 x parallel
- 1 x i.LINK® (IEEE 1394)
- 1 x Fast Infrared Port (FIR)
- 1 x external microphone
- 1 x TV-out
- 3 (Rear 2, Right 1) x USB 2.0

**Pointing device**

- type : Touch Pad

**Processor**

- manufacturer : Intel®
- type : Mobile Intel® Pentium® 4 processor 538 with HT Technology
- clock speed : 3.20 GHz
- Front Side Bus : 533 MHz
- 1st level cache : 16/12 KB
- 2nd level cache : 1 MB
- core voltage (AC) : 1.40 V
- co-processor : integrated in processor
- system bus : 533 MHz

**AC adapter**

- input voltage : autosensing AC adapter (100/240 V) for worldwide usage
- frequency : 50-60 Hz
- output voltage : 19 V
- output current : 6.3 A
- power dissipation : 120 W
- weight : 650 g

**Battery**

- type : main
- technology : lithium-ion
- performance : 14.8 V x 6450 mAh
- maximum life : up to 3.0 hours
- power on : up to 14.0 hours
- power off : up to 4.0 hours

**Graphics adapter**

- manufacturer : ATI
- type : MOBILITY™ RADEON™ 7000 IGP

Available in South Africa at **ComX Computers** and **Laptop Direct**

- memory amount : 64 MB
- memory type : DDR Video RAM (UMA)
- 2D graphics accelerator : Yes

**Physical dimensions**

- W x L x H : 343 x 282 x 38 (front) / 49 (back) mm
- weight : 3.50 kg

**Sound system**

- manufacturer : Toshiba Bass Enhanced Sound System with SRS TruSurround XT™ System
- supported audio format : 16 bit stereo
- speakers : built-in stereo speakers
- microphone : external
- type : Realtec ALC 250
- maximum sampling rate : 48 kHz
- full duplex support : Yes
- direct sound : Yes
- direct 3D sound : Yes
- volume dial : Yes

**Internal video modes**

- resolution : 1,024 x 768
- maximum number of colours : 16.7 million

**Operating system**

- Windows® XP Home Edition

**Wired communication**

- manufacturer : Realtek
- type : 8101L (on board)
- topology : Ethernet LAN
- speed : 10/100 Base-TX
- features : Wake-On-LAN, remote boot
- connector : RJ-45
- manufacturer : Agere
- type : Scpio AC 97 soft modem
- topology : international V.90 modem (V.92 ready)
- speed : 56 Kbps data (V.90) and 14.4 Kbps fax (V.17)
- features : ring wake-up resume
- connector : RJ-11

**DVD-R/RW drive**

- Multiword DMA burst data transfer rate : 16.6 (mode 2) MB/s
- Ultra DMA burst data transfer rate : 33.3 (mode 2) MB/s
- buffer size : 2 MB
- compatibility : CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-R, DVD-RW, DVD-RAM (read only)
- interface : ATAPI
- maximum speed : 24x CD-ROM, 16x CD-R, 10x CD-RW, 8x DVD-ROM, 1x DVD-R, 1x DVD-RW
- type : DVD-R/-RW drive
- weight : 240 g

Available in South Africa at **ComX Computers** and **Laptop Direct**

**Bundled hardware**

- AC adapter
- AC Power Cable
- Quick start guide
- User manual

**Bundled software**

- Toshiba utilities and drivers
- on-line user's manual
- WinDVD
- Drag'n Drop CD
- ConfigFree™
- Microsoft® Office OneNote™ 2003

**Security features**

- system password security

**Warranty**

- 2-year international warranty